



Item no. 11117-00



## Your advantages with our SL Alu Beaver Slate


- » PV installation for slate roofs<sup>1</sup>
- » PV installation for plain tile roofs
- » Aluminium roof hooks for low weight and high corrosion resistance\*
- » Height-adjustable horizontal clamping combination (+/- 25 mm)
- » Works for all common plain tile roofs
- » Proven and fast suspension technology for rails

<sup>1</sup> For slate roofs without a sub-roof, our SL A3 slate (Item no. 13107-00) must be installed.

\*Our warranty conditions apply. These are always available on the Internet at [www.sl-rack.co.uk](http://www.sl-rack.co.uk)

**Dimensions**


	a	b	c	d	e
SL Alu Beaver Slate	35 mm	138 mm	368 mm	25 mm	3°




**Consumables:**

- » 2x disc head screw (Item no. 92108-10/12/28)

**Accessories for SL Alu Beaver Slate:**



**SL Waterproof**  
Item no. 97402-00



**Vertical clamping combination**  
Item no. 11105-05





## Technical Data

**Material** Aluminium

**Design Tool** SL-Rack-Configurator **Solar.Pro.Tool**.

**Statics** The statics calculation takes place as per the current country-specific standards (EN 1991, EC1 for Germany). Depending on snow or wind loads or for large modules, it may be necessary to use more than the standard 4 attachment points. Please make sure to comply with the instructions of the module manufacturer contained in the installation manual. We do not assess the load-bearing capacity of the roof.

**Other information** Information on waste disposal and recycling can be found on our website under [Download](#).

**Your opinion is important to us!**

It is our top priority to make the installation process for you as quick, easy and efficient as possible. Please share your experiences, ideas or criticism with us, so we can continue to improve our products and develop new ones.



SL Rack **Feedback**  
[Provide Feedback >](#)



SL Rack **Website**  
[Check it out >](#)



SL Rack **YouTube**  
[Watch videos >](#)

Find us on



Subject to technical  
changes and misprints.  
Version 12/2024 V2